


IN THE CLAIMS:

Amend claims 1-3 and 13 to read as follows:

1. **(Amended)** An electro-optical liquid-crystal display having a realignment layer for realigning the liquid crystals whose field has a component, which is crucial for the realignment, parallel to the liquid-crystal layer, containing a liquid-crystalline medium of positive dielectric anisotropy,

which medium comprises one or more compounds of the formula I



in which


R¹ is alkyl or alkoxy having 1 to 7 carbon atoms or alkenyl, alkenyloxy or alkoxyalkyl having 2 to 7 carbon atoms,

Y¹¹ is F, and

Y¹² is H or F.

2. **(Amended)** An electro-optical liquid-crystal display having a realignment layer for realigning the liquid crystals whose field has a component, which is crucial for the realignment, parallel to the liquid-crystal layer, containing a liquid-crystalline medium of positive dielectric anisotropy,

which medium comprises one or more compounds of the formula I



in which

R^1 is alkyl or alkoxy having 1 to 7 carbon atoms or alkenyl, alkenyloxy or alkoxyalkyl having 2 to 7 carbon atoms,


Y^{11} is F, and

Y^{12} is H or F;

and

the medium further comprises at least one compound of the formula II:



A1
cont.




in which

R^2 is alkyl or alkoxy having 1 to 7 carbon atoms or alkenyl, alkenyloxy or alkoxyalkyl having 2 to 7 carbon atoms,

A^{21} and A^{22} are each, independently of one another,



provided that at least one of A^{21} and A^{22} is



A1
cont.


X^2 is F, Cl or CN,

and

Z^2 is CH_2CH_2 , COO , CF_2O or a single bond.

3. (Amended) An electro-optical liquid-crystal display having a realignment layer for realigning the liquid crystals whose field has a component, which is crucial for the realignment, parallel to the liquid-crystal layer, containing a liquid-crystalline medium of positive dielectric anisotropy,

which medium comprises one or more compounds of the formula I



in which


R^1 is alkyl or alkoxy having 1 to 7 carbon atoms or alkenyl, alkenyloxy or alkoxyalkyl having 2 to 7 carbon atoms,

Y^{11} is F, and

Y^{12} is H or F;


and

the medium further comprises at least one compound of the formula III




in which

R^{31} and R^{32} are each, independently of one another, alkyl or alkoxy having 1 to 7 carbon atoms or alkenyl, alkenyloxy or alkoxyalkyl having 2 to 7 carbon atoms,




A1
cont.



Z^{31} is $\text{CH}=\text{CH}$, COO , CH_2CH_2 or a single bond.

13. (Amended) A liquid-crystalline medium comprising one or more compounds of the formula I



in which

R^1 is alkyl or alkoxy having 1 to 7 carbon atoms or alkenyl, alkenyloxy or alkoxyalkyl having 2 to 7 carbon atoms,


Y^{11} is F, and

Y^{12} is H or F.

Add the following new claims:

21. A liquid-crystal display according to Claim 1, wherein the medium further comprises at least one compound of the formula II:

A3





II


in which

R^2 is alkyl or alkoxy having 1 to 7 carbon atoms or alkenyl, alkenyloxy or alkoxyalkyl having 2 to 7 carbon atoms,

A^{21} and A^{22} are each, independently of one another,



provided that at least one of A^{21} and A^{22} is



X^2 is F, Cl or CN,

and

Z^2 is CH_2CH_2 , COO , CF_2O or a single bond.



A3
cont

22. A liquid-crystal display according to Claim 1, wherein the medium further comprises at least one compound of the formula III



in which

R^{31} and R^{32} are each, independently of one another, alkyl or alkoxy having 1 to 7 carbon atoms or alkenyl, alkenyloxy or alkoxyalkyl having 2 to 7 carbon atoms,



Z^{31} is CH=CH, COO, CH₂CH₂ or a single bond.

A3
cont.